

blue<sup>®</sup>m, for the protection of injured periodontal tissue



Irfan Abas M.Sc.

## CV

2008 University of Amsterdam: graduated dentist  
2014 Radboud University Nijmegen: specialist in Reconstructive Dentistry  
2015 Specialist in Restorative Dentistry (NVvRT)  
2016 European Specialist in Prosthodontics (EPA)  
2016 MINEC Knight MegaGen Benelux  
2017 Editor for Dental Magazine TandartsPraktijk Springer Media  
2017 Chairman MINEC Netherlands  
2017 Instructor for Advanced Implant Educators U.S.

Private practice specialized in Oral Implantology & Restorative Dentistry

blue<sup>®</sup>m, for the protection of injured periodontal tissue

Chronic gingivitis (6 years) Initial therapy supported with blue<sup>®</sup>m oral gel: 2 weeks healing



blue<sup>®</sup>m, for the protection of injured periodontal tissue



Severe gingivitis for more than 2 years after placement crowns by previous dentist



2 weeks after cleaning and use of blue<sup>®</sup>m toothpaste and mouthwash

blue<sup>®</sup>m, for the protection of injured periodontal tissue

Chronic gingivitis (6 years) Initial therapy supported  
with blue<sup>®</sup>m oral gel: 2 weeks healing



Result with blue<sup>®</sup>m after 2 weeks



Result with blue<sup>®</sup>m after 2 weeks

blue<sup>®</sup>m, for the protection of injured periodontal tissue

Chronic gingivitis (6 years): Initial therapy supported with blue<sup>®</sup>m oral gel: 2 weeks healing



Result after plastic periodontal surgery (gingival graft) and postoperative rinsing with blue mouthwash and oral

blue<sup>®</sup>m, for the protection of injured periodontal tissue

Work in progress, slow dentistry....



Initial temporary situation



Initial periodontal therapy, oral hygiene reinforcement, blue<sup>®</sup>m oral gel, rinse and toothpaste



Plastic periodontal surgery, healing reinforced with blue<sup>®</sup>m active oxygen